THIS PAGE IS INSERTED BY OIPE SCANNING

IMAGES WITHIN THIS DOCUMENT ARE BEST AVAILABLE COPY AND CONTAIN DEFECTIVE IMAGES SCANNED FROM ORIGINALS SUBMITTED BY THE APPLICANT.

DEFECTIVE IMAGES COULD INCLUDE BUT ARE NOT LIMITED TO:

BLACK BORDERS

TEXT CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT

ILLEGIBLE TEXT

SKEWED/SLANTED IMAGES

COLORED PHOTOS

BLACK OR VERY BLACK AND WHITE DARK PHOTOS


GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY. RESCANNING DOCUMENTS WILL NOT CORRECT IMAGES.

Docket: 010023-000160
Inventors: John H. Crowe et al.
Title: IMPROVED THERAPEUTIC PLATELETS AND

METHODS

Page No.: Page 1 of 12







Title: IMPROVED THERAPEUTIC PLATELETS AND

METHODS


Page No.: Page 2 of 12





Title: IMPROVED THERAPEUTIC PLATELETS AND

METHODS






FIG._6 Label concentration in loading buffer (mM)

Docket: 010023-000160

Inventors: John H. Crowe et al.
Title: IMPROVED THERAPEUTIC PLATELETS AND

METHODS

Page No.: Page 4 of 12




FIG._7






FIG._8A (PRIOR ART)

FIG._8B

Docket: 010023-000160
Inventors: John H. Crowe et al.
Title: IMPROVED THERAPEUTIC PLATELETS AND

METHODS

Page No.: Page 5 of 12





FIG._9

Title: IMPROVED THERAPEUTIC PLATELETS AND

METHODS

Page No.: Page 6 of 12




Docket: 010023-000160

Inventors: John H. Crowe et al.
Title: IMPROVED THERAPEUTIC PLATELETS AND

METHODS

Page No.: Page 7 of 12



Title: IMPROVED THERAPEUTIC PLATELETS AND

METHODS

Page No.: Page 8 of 12





Figure 19

Title: IMPROVED THERAPEUTIC PLATELETS AND

METHODS

Page No.: Page 9 of 12



Pigare 20

Title: IMPROVED THERAPEUTIC PLATELETS AND

METHODS

Page No.: Page 10 of 12




Figure 21

Title: IMPROVED THERAPEUTIC PLATELETS AND

METHODS

Page No.: Page 11 of 12





Figure 22

Title: IMPROVED THERAPEUTIC PLATELETS AND


METHODS

Page No.: Page 12 of 12




0 hrs (control)

Figure 23




3.5 hrs

Figure 25



1 hr Fyure 24



5 hrs

Figure 26